FIGURE 1A


Binding Domain
Spacer
Splice Site
Delivered Therapeutic Gene
5'
3'

(B)

(1) pPTM+Sp



(2) pPTM-Sp



(C)



Figure 1B-C

A


PTM RNA
Time (min)
PTM+Sp
PTM-Sp
Py(-)AG(-)
BP(-)Py(-)AG(-)
Marker (bp)
0 60 0 60 0 60 0 60
Trans-spliced
466bp
product
600
500
400
300
1 2 3 4 5 6 7 8

B


Marker (bp)
Short PTM+
Marker (bp)
Short PTM+
PTM-Sp
PTM+Sp
PTM+
PTM RNA
90 60 30 90 60 30 90 60 30 90 60 30 90 60 30
Time (min)
500
400
300
200
100
Trans spliced
143 bp product
Trans spliced
196 bp product
17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1


C T A G
G A G A T G T T C C A G
Exon 1 of βHCG6
G G C G T G A T G A T G
1st coding nucleotide of DT-A

(A)

1. PTM+SF



2. PTM+SF-Py1:



3. PTM+SF-Py2:



(B)



Figure 4A-B

(C)


Marker (bp)
PTM+SF
PTM+SF-Py1
Marker (bp)
PTM+SF-Py2
PTM+SFBP3
PTM+SFBP3-Py1
0 90 0 90 0 90 0 90 0 90
Time (min)
500
400
300
200
100
Trans-spliced
196 bp product
1 2 3 4 5 6 7 8 9 10

Figure 4C


Linear PTM
Safety PTM
βHCG-F
β-globin-F
βHCG-F
β-globin-F
Forward Primer
Marker (bp)
HCGR2
DT-3R
β-globin-R
β-globin-R
DT-3R
HCGR2
Marker (bp)
HCGR2
DT-3R
β-globin-R
β-globin-R
DT-3R
HCGR2
Reverse Primer
500
400
300
200
100
1 2 3 4 5 6 7 8 9 10 11 12

Figure 5


(A)
(B)
Marker (bp)
52
105
158
211
300
0 60 0 60 0 60 0 60 60
PTM+Sp (ng)
Time (min)
Un-spliced
478 bp
Cis-spliced
125 bp
product
500
400
300
200
100
Trans-spliced
196 bp product
1 2 3 4 5 6 7 8 9
1 2 3 4 5 6 7 8 9 10

Figure6

Figure 7

(A)



(B)

Exon 1 of βHCG6

5'-CAGGGGACGCACCAAGGATGGAGATGTTCCAG-GGCGCTGATGATGTTGTT

1st coding nucleotide of DT-A

GATTCTTCTTAAATCTTTTGTGATGGAAAACTTTTCTTCGTACCACGGGACTA

AACCTGGTTATGTAGATTCCATTCAAAAA-3'

Double Splicing Pre-therapeutic RNA



Figure 8A

31304B-A

(Sheet 10 Of 59)

Selective *Trans*-splicing of a Double Splicing PTM

(3' ss of PTM to 5' ss target and, 5' ss of PTM to 3' ss of target)



Cis-spliced products

E1 E2 E3 = Normal *cis*-splicing (277bp)

E1 E3 = Exon skipping (110bp)

Trans-spliced products

E1 DT-A = 1st event, 196bp. *Trans*-splicing between 5' ss of target & 3' ss of PTM.

DT-A E3 = 2nd event, 161bp. *Trans*-splicing between 3' ss of target & 5' ss of PTM.

Figure 8B

31304B -A

(Sheet 11 Of 58)


pre-mRNA
intron
exon
PTMs
trans-splicing
1. RT with random oligos
2. PCR with specific oligo to make one strand
3. Second strand synthesis (questions here)
N
4. NotI cleavage and cloning
5. Random short sequence runs
Mapping of 3' splice sites
N

FIGURE 9

Knock Out

LacZ [redacted] Model Constructs

pc3·1 lac-T1

Target 1:





PTMs

pc3·1PTM2 :-



31 304 B-A
sheet 13 of 59
FIG. 10 A

Restoration of β-Gal activity by SMaRT

(Spliceosome Mediated RNA*Trans*-splicing)



Figure 1DB

31304 B-A
(Amt 14 of 61)


cis
Trans
879 bp
cis-spliced
product
195 bp
Trans-spliced
1 2 3 4 5 6 7 8 9 10 11 12

FIGURE 11A

Figure 11B



FIGURE IIC

Nucleotide Sequence Demonstrating that *Trans*-splicing is Accurate



FIGURE 12A

31304-B-A

(Sheet 18 of 58)

(1). Nucleotide sequences of the *cis*-spliced product (285 bp) :

BioLac-TR1
GGCTTTCGCTACCTGGAGAGACGCGCCCGCTGATCCTTTGCGAATACGCCCACGCGATGGGTAACAGTCTTG

Splice junction
GCGGTTTCGCTAAATACTGGCAGGCGTTTCGTCAGTATCCCCGTTTACAG/GGCGGCTTCGTCTAATAATG

GGACTGGGTGGATCAGTCGCTGATTAAATATGATGAAAACGGCAACCCGTGGTCGGCTTACGGCGGTGATTT

Lac-TR2
TGGCGATACGCCGAACGATCGCCAGTTCTGTATGAACGGTCTGGTCTTTGGCGACCGCACGCCGCATCCAG

(2) Nucleotide sequences of the trans-spliced product (195 bp)

BioLac-TR1
GGCTTTCGCTACCTGGAGAGACGCGCCCGCTGATCCTTTGCGAATACGCCCACGCGATGGGTAACAGTCTTGG

Splice junction
CGGTTTCGCTAAATACTGGCAGGCGTTTCGTCAGTATCCCCGTTTACAG/GGGCTGCTGCTGTTCCTGCTGCT

HCGR2
GAGCATGGGCGGGACATGGGCATCCAAGGAGCCACTTCGGCCACGGTGCCG

Figure 12 B

31304-B-A
(Shut 19 of 58)

CFTR Pre-therapeutic molecule (PTM or "bullet")



CFTR mini-gene target - Construction



TRANS-SPLICING Repair



↓ splicing



Figure 13

31304-B-A
(Shut 2004.58)

Figure 14



31304 B-A
(Sheet 21 of 58)

FIGURE 15

DNA sequence 500 b.p. GCTAGCGTTTAA ... TGCCACTCCCAC linear

Positions of Restriction Endonucleases sites (unique sites underlined)



Restriction Endonucleases site usage

Acc I	-	EcoR I	1	Nde I	-	Sau96 I	2
Apa I	1	EcoR V	1	Nhe I	1	Sca I	1
ApaL I	-	Hae II	-	Not I	1	Sma I	-
Avr II	-	Hae III	2	PflM I	-	Sph I	1
BamH I	1	HinC II	-	Pst I	2	Spl I	-
Ban II	2	HinD III	1	Pvu I	-	Ssp I	-
Bbe I	-	Hinf I	-	Pvu II	-	Stu I	-

31304-A-B
(Amt. 22 of 58)

EXPERIMENT # 2

Repair of an exogenously supplied CFTR target molecule carrying an F508 deletion in exon 10.



Figure 1b

31304-A-B

Sheet 23 of 58

EXPERIMENT 3

Repair of endogenous CFTR transcripts by exon 10 invasion using a double splicing PTM

Double Splicing PTM





Figure 17

31304 B-A

Sheet 24 of 58

Double *Trans*-splicing Specific Target



Target DSCFT1-6

Figure 18

Double *Trans*-splicing PTMs



DSPTM-5

PTM with 27 bp BD & masks 5' single splice site

DSPTM-6

PTM with 120 bp BD & masks both 5' & 3' splice sites

DSPTM-7

PTM with 260 bp BD masking both the ss & the entire CFTR Ex10

Figure 19

Double *Trans*-splicing β-Gal Model



Repaired LacZ mRNA

Figure 20

Important Structural Elements of DSPTM-7: (Double splicing PTM with all the necessary splice elements i.e. has both 3' and 5' functional splice sites and the binding domains)



(1) 3' BD (120 BP) : GATTCACTTGCTCCAATTATCATCCTAAGCAGAAGTGTATATTCTTATTTGTAAAGATTCTATTAACTCATTTGATTC
AAAATATTTAAAATACTTCCTGTTTCATACTCTGCTATGCAC

(2) Spacer sequences (24 bp): AACATTATTATAACGTTGCTCGAA

(3) Branch point, pyrimidine tract and acceptor splice site: TACTAAC T GG*TACC* TCTTCTTTTTTTTTT *GATATC* CTGCAG GGC GGC

BP Kpn I PPT EcoRV 3' ss LacZ mini exon

(4) 5' donor site and 2nd spacer sequence: TGA ACG *GTAAGT* GTTATCACCGATATGTGTCTAACCTGATTCGGGCCTTCGATACG

CTAAGATCCACCGG

LacZ mini exon 5' ss

(5) 5' BD (260 BP) : TCAAAAAGTTTTCACATAATTTCTTACCTCTTCTT*GAATTC*ATGCTTTGATGACGCTTCTGTATCTATATTCATCATTGGAA
ACACCAATGATTTTTCTTTAATGGTGCCTGGCATAATCCTGGAAAACTGATAACACAATGAAATTCTTCCACTGTGCTTAA
AAAAACCCTCT*GAATTC*TCCATTTCTCCCATAATCATCATTACAACTGAACTCTGGAAATAAAACCCATCATTATTAACTCA
TTATCAAATCACGC

Figure 21

DSPTM8 :(▲ 3' ss: 3' splice elements i.e. BP, PPT & AG dinucleotide has been deleted and replaced with random sequences, but still has the functional 5' splice site)



PTM29 (lacks 2nd BD and 5' ss)



PTM30 (lacks 1st BD and 3' ss)

Mutants

Figure 22

Accuracy of Double *Trans*-splicing Reaction



Figure 23

Double *Trans*-splicing Produces Full-length Protein



Lane 1: DSCFT1.6 Target alone	25 μg
Lane 2: DSPTM7	25 μg
Lane 3 Target + PTM #6	25 μg
Lane 4: Target + PTM #9	25 μg
Lane 5: Delta 3' splice mutant alone	25 μg
Lane 6: Target + Delta 3' ss	25 μg
Lane 7: Target+PTM29+30 (mutants)	25 μg

Figure 24

Restoration of β-Gal Function by Double *Trans*-splicing



Beta-gal Activity above the Background level

DSPTM5: 5 fold
DSPTM6: 17 fold
DSPTM7: 21 fold

Figure 25

Restoration of β-gal activity is due to double RNA *trans*-splicing events







Figure 26

Double *Trans*-splicing: Titration of Target & PTM



The current level of beta-gal activity due to double *trans*-splicing is ~ 1-1.5% of the best single splice model (3' exon replacement)

Figure 27

DSCFT1-6 (Specific Target):

DSHCGT1 (Non-specific Target):



Figure 28

Specificity of double *trans*-splicing Reaction



Figure 29

Replacement of a Single Internal Exon

Schematic diagram of a PTM binding to a CFTR ΔF508 target



Repaired full length CFTR mRNA

Figure 30

INTRONN

PTM with a long binding domain masking two splice sites and part of exon 10 in a mini-gene target.



ACGAGCTTGCTCATGATGATCATGGGCGAGTTAGAACCAAGTGAAGGCAAGATCAAACATTCCG
GCCGCATCAGCTTTTGCAGCCAATTCAGTTGGATCATGCCCGGTACCATCAAGGAGAACATAAT
CTTCGGCGTCAGTTACGACGAGTACCGCTATCGCTCGGTGATTAAGGCCTGTCAGTTGGAGGAG

MCU in exon 10 of PTM

88 of 192 (46%) bases in PTM exon 10 are not complementary to its binding domain (bold and underlined).

Figure 31

Sheet 38 of 58

Sequence of a double *trans*-spliced product



□ = MCU in PTM exon 10

Figure 32

CFTR Repair: 5' Exon Replacement

Schematic diagram of a PTM binding to the splice site of intron 10 of a mini-gene target



Figure 33

A



PTM with a short binding domain masking a single splice site in a mini-gene target.

B



PTM with a long binding domain masking two splice sites in a mini-gene target.

C



PTM with a long binding domain masking two splice sites and the whole of exon 10 in a mini-gene target.

Figure 34



MCU in exon 10 of PTM

88 of 192 (46%) bases in PTM exon 10 are not complementary to its binding domain.

ACGAGCTTGCTCATGATGATCATGGGCGAGTTAGAACCAAGTGAAGGCAAGATCAAACATTCCG
GCCGCATCAGCTTTTGCAGCCAATTCAGTTGGATCATGCCCGGTACCATCAAGGAGAACATAAT
CTTCGGCGTCAGTTACGACGAGTACCGCTATCGCTCGGTGATTAAGGCCTGTCAGTTGGAGGAG

Figure 35



A. *Cis*-spliced product
[Primers CF1 + CF111]



B. *Trans*-spliced product
[Primers CF93 + CF111]



Figure 36

A


lacZCF9m
5' ss
3' ss
pA
BP
PPT
ATG
lacZ 5' Exon
GT
AG
STOP
lacZ 3' Exon
5' ss
3' ss
CGT TTA CAG/ GTAAGTGGATCC
CTGCAG / GGC GGC TTC GTC TAA TAA TGG
Stop codons
lacZ 5' Exon 1788 bp
CFTR mini-intron 9, 548 bp
lacZ 3' Exon, 1391 bp

Figure 37 A


B
3' ss
pA
AG
LacZ 3' Exon
BD
BP
PPT
1391 bp
Trans-splicing domain
3' ss
N
S
K
E
GCTAGC
Binding domain
CCGCGG
spacer
TACTAAC T GGTACC
TCTTCTTTTTTTTTT
GATATC CTGCAG GGC GGC
BD
Spacer
BP
PPT


lacZCF9m
5' Exon
CFTR mini intron 9
BP
PPT
TAATAA
3' Exon
3' Exon
PTM-CF14
23 bp BD
5' Exon
3' Exon
3' Exon
PTM-CF22
91 bp BD
5' Exon
3' Exon
3' Exon
PTM-CF24
153 bp BD
5' Exon
3' Exon
3' Exon
PTM-CF26
200 bp BD
5' Exon
3' Exon
3' Exon
PTM-CF27
411 bp BD

Figure 37B

C


Lac-9F
TAA TAA
5'
AUG
lacZ 5' Exon
STOP
lacZ 3' Exon
3'
Lac-3R
Cis-spliced mRNA
Cis-
5' ss
BP
Py
TAA TAA
CFTR mini-intron 9
5'
AUG
lacZ 5' Exon
STOP
lacZ 3' Exon
3'
Mutant
Target Pre-mRNA
BP
Py
3' ss
pA
lacZ 3' Exon
3'
Normal
PTM
Trans-splicing
Lac-9F
5'
AUG
lacZ 5' Exon
lacZ 3' Exon
3'
Lac-5R
Repaired lacZ mRNA

Figure 37C

A



Figure 38 A



B



Figure 38B



Figure 39

Figure 40A




B
β-gal activity (units/mg protein)
0
500
1000
1500
2000
2500
Controls
Target
PTM
lacZCF9m + Linear PTM
14
22
24
26
27

Figure 40B

C


β-gal activity (units/mg protein)
50
40
30
20
10
0
Mock
14
22
24
Linear PTM
PTMs

Figure 40C

A



Figure 41A

Sheet 54 of 58



Figure 4B

C


β-gal activity (units/mg protein)
160
120
80
40
0
Control
14
22
24
26
27
lacZHCG1m +
Linear PTM
18
23
25
PTMs
lacZHCG1m +
Safety PTM

Figure 41C

Exons 1-10

ATGCAGAGGTCGCCTCTGGAAAAGGCCAGCGTTGTCTCCAAACTTTTTTTCAGCTGGACCAGACCAATTTTGAGGAAAG
GATACAGACAGCGCCTGGAATTGTCAGACATATACCAAATCCCTTCTGTTGATTCTGCTGACAATCTATCTGAAAAATT
GGAAAGAGAATGGGATAGAGAGCTGGCTTCAAAGAAAAATCCTAAACTCATTAATGCCCTTCGGCGATGTTTTTTCTGG
AGATTTATGTTCTATGGAATCTTTTTATATTTAGGGGAAGTCACCAAAGCAGTACAGCCTCTCTTACTGGGAAGAATCA
TAGCTTCCTATGACCCGGATAACAAGGAGGAACGCTCTATCGCGATTTATCTAGGCATAGGCTTATGCCTTCTCTTTAT
TGTGAGGACACTGCTCCTACACCCAGCCATTTTTGGCCTTCATCACATTGGAATGCAGATGAGAATAGCTATGTTTAGT
TTGATTTATAAGAAGACTTTAAAGCTGTCAAGCCGTGTTCTAGATAAAATAAGTATTGGACAACTTGTTAGTCTCCTTT
CCAACAACCTGAACAAATTTGATGAAGGACTTGCATTGGCACATTTCGTGTGGATCGCTCCTTTGCAAGTGGCACTCCT
CATGGGGCTAATCTGGGAGTTGTTACAGGCGTCTGCCTTCTGTGGACTTGGTTTCCTGATAGTCCTTGCCCTTTTTCAG
GCTGGGCTAGGGAGAATGATGATGAAGTACAGAGATCAGAGAGCTGGGAAGATCAGTGAAAGACTTGTGATTACCTCAG
AAATGATCGAGAACATCCAATCTGTTAAGGCATACTGCTGGGAAGAAGCAATGGAAAAAATGATTGAAAACTTAAGACA
AACAGAACTGAAACTGACTCGGAAGGCAGCCTATGTGAGATACTTCAATAGCTCAGCCTTCTTCTTCTCAGGGTTCTTT
GTGGTGTTTTTATCTGTGCTTCCCTATGCACTAATCAAAGGAATCATCCTCCGGAAAATATTCACCACCATCTCATTCT
GCATTGTTCTGCGCATGGCGGTCACTCGGCAATTTCCCTGGGCTGTACAAACATGGTATGACTCTCTTGGAGCAATAAA
CAAAATACAGGATTTCTTACAAAAGCAAGAATATAAGACATTGGAATATAACTTAACGACTACAGAAGTAGTGATGGAG
AATGTAACAGCCTTCTGGGAGGAGGGATTTGGGGAATTATTTGAGAAAGCAAAACAAAACAATAACAATAGAAAAACTT
CTAATGGTGATGACAGCCTCTTCTTCAGTAATTTCTCACTTCTTGGTACTCCTGTCCTGAAAGATATTAATTTCAAGAT
AGAAAGAGGACAGTTGTTGGCGGTTGCTGGATCCACTGGAGCAGGCAAGA**CGAGCT**T**GC**T**C**ATGATGAT**C**ATGGG**C**GA**G**
TT**A**GA**ACCAAGT**GA**A**GG**C**AA**G**AT**C**AA**A**CA**TTCC**GG**CC**G**C**ATC**AGC**TTT**T**TG**CAGC**CA**A**TT**CAGTT**GGAT**C**ATGCC**C**GG**T**A
CCAT**C**AA**G**GA**G**AA**C**AT**A**AT**C**TTCGG**C**GT**CAGTT**A**C**GA**C**GA**G**TA**CC**GC**T**AT**C**G**CTCG**GT**G**AT**T**AA**G**GC**C**TG**TCAGTTG**GA
GGAG

Trans-splicing domain

GTAAGATATCACCGATATGTGTCTAACCTGATTCGGGCCTTCGATACGCTAAGATCCACCGG
TCAAAAAGTTTTCACATAATTTCTTACCTCTTCTTGAATTCATGCTTTGATGACGCTTCTGTATCTATATTCATCATTG
GAAACACCAATGATATTTTCTTTAATGGTGCCTGGCATAATCCTGGAAAACTGATAACACAATGAAATTCTTCCACTGT
GCTTAATTTTACCCTCTGAATTCTCCATTTCTCCCATAATCATCATTACAACTGAACTCTGGAAATAAAACCCATCATT
ATTAACTCATTATCAAATCACGCT

Figure 42

153 bp PTM24 Binding Domain:

Nhe I 153 bp BD underlined

GCTAGC-AATAATGACGAAGCCGCCCCTCACGCTCAGGATTCACTTGCCTCCAATTATCATCCTAAGCAGAAGTGTATA

TTCTTATTTGTAAAGATTCTATTAACTCATTTGATTCAAAATATTTAAAATACTTCCTGTTTCACCTACTCTGCTATGC

Sac II

AC-**CCGCGG**

Figure 43A

Trans-splicing domain
AATAATGACGAAGCCGCCCCTCACGCTCAGGATTCACTTGCCCTCCAATTATCATCCTAAGCAGAAGTGTATATTCTTA
TTTGTAAAGATTCTATTAACTCATTTGATTCAAAATATTTAAAATACTTCCTGTTTCACCTACTCTGCTATGCACCCGC
GGAACATTATTATAACGTTGCTCGAATACTAACTGGTACCTCTTCTTTTTTTTTTGATATCCTGCAG
Exons 10-24
ACTTCACTTCTAATGATGATTATGGGAGAACTGGAGCCTTCAGAGGGTAAAATTAAGCACAGTGGAAGAATTTCATTCT
GTTCTCAGTTTTCCTGGATTATGCCTGGCACCATTAAAGAAAATATCATCTTTGGTGTTTCCTATGATGAATATAGATA
CAGAAGCGTCATCAAAGCATGCCAACTAGAAGAGGACATCTCCAAGTTTGCAGAGAAAGACAATATAGTTCTTGGAGAA
GGTGGAATCACACTGAGTGGAGGTCAACGAGCAAGAATTTCTTTAGCAAGAGCAGTATACAAAGATGCTGATTTGTATT
TATTAGACTCTCCTTTTGGATACCTAGATGTTTTAACAGAAAAAGAAATATTTGAAAGCTGTGTCTGTAAACTGATGGC
TAACAAAACTAGGATTTTGGTCACTTCTAAAATGGAACATTTAAAGAAAGCTGACAAAATATTAATTTTGCATGAAGGT
AGCAGCTATTTTTATGGGACATTTTCAGAACTCCAAAATCTACAGCCAGACTTTAGCTCAAAACTCATGGGATGTGATT
CTTTCGACCAATTTAGTGCAGAAAGAAGAAATTCAATCCTAACTGAGACCTTACACCGTTTCTCATTAGAAGGAGATGC
TCCTGTCTCCTGGACAGAAACAAAAAAACAATCTTTTAAACAGACTGGAGAGTTTGGGGAAAAAAGGAAGAATTCTATT
CTCAATCCAATCAACTCTATACGAAAATTTTCCATTGTGCAAAAGACTCCCTTACAAATGAATGGCATCGAAGAGGATT
CTGATGAGCCTTTAGAGAGAAGGCTGTCCTTAGTACCAGATTCTGAGCAGGGAGAGGCGATACTGCCTCGCATCAGCGT
GATCAGCACTGGCCCCACGCTTCAGGCACGAAGGAGGCAGTCTGTCCTGAACCTGATGACACACTCAGTTAACCAAGGT
CAGAACATTCACCGAAAGACAACAGCATCCACACGAAAAGTGTCACTGGCCCCTCAGGCAAACTTGACTGAACTGGATA
TATATTCAAGAAGGTTATCTCAAGAAACTGGCTTGGAAATAAGTGAAGAAATTAACGAAGAAGACTTAAAGGAGTGCTT
TTTTGATGATATGGAGAGCATACCAGCAGTGACTACATGGAACACATACCTTCGATATATTACTGTCCACAAGAGCTTA
ATTTTTGTGCTAATTTGGTGCTTAGTAATTTTTCTGGCAGAGGTGGCTGCTTCTTTGGTTGTGCTGTGGCTCCTTGGAA
ACACTCCTCTTCAAGACAAAGGGAATAGTACTCATAGTAGAAATAACAGCTATGCAGTGATTATCACCAGCACCAGTTC
GTATTATGTGTTTTACATTTACGTGGGAGTAGCCGACACTTTGCTTGCTATGGGATTCTTCAGAGGTCTACCACTGGTG
CATACTCTAATCACAGTGTCGAAAATTTTACACCACAAAATGTTACATTCTGTTCTTCAAGCACCTATGTCAACCCTCA
ACACGTTGAAAGCAGGTGGGATTCTTAATAGATTCTCCAAAGATATAGCAATTTTGGATGACCTTCTGCCTCTTACCAT
ATTTGACTTCATCCAGTTGTTATTAATTGTGATTGGAGCTATAGCAGTTGTCGCAGTTTTACAACCCTACATCTTTGTT
GCAACAGTGCCAGTGATAGTGGCTTTTATTATGTTGAGAGCATATTTCCTCCAAACCTCACAGCAACTCAAACAACTGG
AATCTGAAGGCAGGAGTCCAATTTTCACTCATCTTGTTACAAGCTTAAAAGGACTATGGACACTTCGTGCCTTCGGACG
GCAGCCTTACTTTGAAACTCTGTTCCACAAAGCTCTGAATTTACATACTGCCAACTGGTTCTTGTACCTGTCAACACTG
CGCTGGTTCCAAATGAGAATAGAAATGATTTTTGTCATCTTCTTCATTGCTGTTACCTTCATTTCCATTTTAACAACAG
GAGAAGGAGAAGGAAGAGTTGGTATTATCCTGACTTTAGCCATGAATATCATGAGTACATTGCAGTGGGCTGTAAACTC
CAGCATAGATGTGGATAGCTTGATGCGATCTGTGAGCCGAGTCTTTAAGTTCATTGACATGCCAACAGAAGGTAAACCT
ACCAAGTCAACCAAACCATACAAGAATGGCCAACTCTCGAAAGTTATGATTATTGAGAATTCACACGTGAAGAAAGATG
ACATCTGGCCCTCAGGGGGCCAAATGACTGTCAAAGATCTCACAGCAAAATACACAGAAGGTGGAAATGCCATATTAGA
GAACATTTCCTTCTCAATAAGTCCTGGCCAGAGGGTGGGCCTCTTGGGAAGAACTGGATCAGGGAAGAGTACTTTGTTA
TCAGCTTTTTTGAGACTACTGAACACTGAAGGAGAAATCCAGATCGATGGTGTGTCTTGGGATTCAATAACTTTGCAAC
AGTGGAGGAAAGCCTTTGGAGTGATACCACAGAAAGTATTTATTTTTTCTGGAACATTTAGAAAAAACTTGGATCCCTA
TGAACAGTGGAGTGATCAAGAAATATGGAAAGTTGCAGATGAGGTTGGGCTCAGATCTGTGATAGAACAGTTTCCTGGG
AAGCTTGACTTTGTCCTTGTGGATGGGGGCTGTGTCCTAAGCCATGGCCACAAGCAGTTGATGTGCTTGGCTAGATCTG
TTCTCAGTAAGGCGAAGATCTTGCTGCTTGATGAACCCAGTGCTCATTTGGATCCAGTAACATACCAAATAATTAGAAG
AACTCTAAAACAAGCATTTGCTGATTGCACAGTAATTCTCTGTGAACACAGGATAGAAGCAATGCTGGAATGCCAACAA
TTTTTGGTCATAGAAGAGAACAAAGTGCGGCAGTACGATTCCATCCAGAAACTGCTGAACGAGAGGAGCCTCTTCCGGC
AAGCCATCAGCCCCTCCGACAGGGTGAAGCTCTTTCCCCACCGGAACTCAAGCAAGTGCAAGTCTAAGCCCCAGATTGC
Histidine tag Stop
TGCTCTGAAAGAGGAGACAGAAGAAGAGGTGCAAGATACAAGGCTTCATCATCATCATCATCATTAG

Figure 43B